ccoraing to 1907/2000/EC, Article

*Printing date 04.05.2022* 

Version: 7 (replaces version 6)

Revision: 04.05.2022

# **SECTION 1:** Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: <u>Sebond Dentin Bond Opaker</u>

- · Article number: 644094, 644095, 644096, 644098, 644099
- 1.2 Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- $\cdot$  Application of the substance / the mixture Masking material

• 1.3 Details of the supplier of the safety data sheet

• Manufacturer/Supplier:

Schütz Dental GmbH, Dieselstrasse 5-6, D-61191 Rosbach v.d.H. (Germany) Tel.: +49 (0)6003/814-0 Fax: +49 (0)6003/814-900 www.schuetz-dental.de; e-mail: info@schuetz-dental.de

- Further information obtainable from: F&E, Tel.: +49 (0)6003/814-0
- · 1.4 Emergency telephone number:
- +49 (0) 6003 8140 Schütz Dental (8:00 17:00 Uhr) or
- +49 (0) 6131 19240 Poison Information Center, University Mainz (24 h)

# **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

- · Classification according to Regulation (EC) No 1272/2008
- Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008
- *The product is classified and labelled according to the GB CLP regulation. Hazard pictograms*



· Signal word Warning

· Hazard-determining components of labelling:

- di-urethane dimethacrylate
- 2-[[(butylamino)carbonyl]oxy]ethyl acrylate
- tetramethylene dimethacrylate

*diphenyl*(2,4,6- *trimethylbenzoyl*)*phosphine* oxide

- Hazard statements
- H332 Harmful if inhaled.
- H317 May cause an allergic skin reaction.
- H411 Toxic to aquatic life with long lasting effects.
- Precautionary statements
- *P261 Avoid breathing dust/fume/gas/mist/vapours/spray.*
- P280 Wear protective gloves.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P312 Call a POISON CENTER/doctor if you feel unwell.
- P321 Specific treatment (see on this label).
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.
- Additional information:

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

(Contd. on page 2)

Printing date 04.05.2022

Version: 7 (replaces version 6)

Revision: 04.05.2022

#### Trade name: Sebond Dentin Bond Opaker

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• *Description: Liquid based on methacryl acid ester, containing an activator.* 

#### · Dangerous components:

Dangerous components:				
CAS: 41137-60-4	di-urethane dimethacrylate	25-50%		
	log Aquatic Chronic 2, H411; 🚸 Skin Sens. 1B, H317			
CAS: 63225-53-6	2-[[(butylamino)carbonyl]oxy]ethyl acrylate	2.5-10%		
	Aquatic Chronic 2, H411; (1) Acute Tox. 4, H332; Skin Sens. 1A, H317			
CAS: 2082-81-7	tetramethylene dimethacrylate	2.5-10%		
EINECS: 218-218-1	♦ Skin Sens. 1B, H317			
CAS: 13463-67-7	titanium dioxide	2.5-10%		
EINECS: 236-675-5	🗞 Carc. 2, H351			
CAS: 75980-60-8	diphenyl(2,4,6- trimethylbenzoyl)phosphine oxide	<2.5%		
	🚸 Repr. 2, H361f; 🚸 Aquatic Chronic 2, H411; 🚸 Skin Sens. 1B, H317			
• Additional information For the wording of the listed hazard phrases refer to section 16.				

## **SECTION 4: First aid measures**

- 4.1 Description of first aid measures
- · After inhalation Supply fresh air; consult doctor in case of complaints.
- · After skin contact
- If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing

Rinse out mouth and then drink plenty of water.

Seek medical treatment.

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- For safety reasons unsuitable extinguishing agents Water with full jet.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:
- No special measures required.

Do not inhale explosion gases or combustion gases.

# **SECTION 6:** Accidental release measures

• 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation (Contd. on page 3)

- GB

(Contd. of page 1)

Printing date 04.05.2022

Version: 7 (replaces version 6)

Revision: 04.05.2022

(Contd. of page 2)

#### Trade name: Sebond Dentin Bond Opaker

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• 6.4 Reference to other sections

- No dangerous substances are released.
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- *Requirements to be met by storerooms and receptacles:* Close container immediately after use and protect product from light incidence. Storage between 10 °C and 25 °C.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

• Ingredients with limit values that require monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures Immediately remove all soiled and contaminated clothing
- Respiratory protection: Not necessary if room is well-ventilated.
- · Hand protection Protective gloves.
- · Material of gloves
- Butyl rubber, BR
- Nitrile rubber, NBR
- · Penetration time of glove material
- 0,3 mm
- Penetration time 60 min.
- 0,11 mm
- Penetration time 10 min.
- Eye/face protection Safety glasses
- **Body protection:** Protective work clothing.

# **SECTION 9: Physical and chemical properties**

- 9.1 Information on basic physical and chemical properties
- General Information
- · Physical state
- · Colour:

Fluid According to product specification

(Contd. on page 4)

GB

Printing date 04.05.2022

Version: 7 (replaces version 6)

Revision: 04.05.2022

Trade name: Sebond Dentin Bond Opaker

	(Contd. of page
Odour:	Weak, characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	undetermined
Boiling point or initial boiling point and boiling	
range	251 °C
Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	Not determined.
Upper:	Not determined.
Flash point:	151 °C
Ignition temperature:	>370 °C
Decomposition temperature:	Not determined.
pH	Mixture is non-soluble (in water).
Viscosity:	
Kinematic viscosity	Not determined.
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Partition coefficient n-octanol/water (log value)	Not determined.
Vapour pressure:	Not determined.
Density and/or relative density	
Density:	Not determined
Relative density	Not determined.
Vapour density	Not determined.
Form: Important information on protection of health and	Pasty d
environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Solvent content:	
	0.0 %
Change in condition	
Change in condition	0.0 % Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classe	Not determined.
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives	Not determined. <b>'s</b> Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases	Not determined. <b>15</b> Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols	Not determined. <b>rs</b> Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases	Not determined. <b>'s</b> Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	Not determined. <b>rs</b> Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	Not determined. <b>TS</b> Void Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	Not determined. <b>TS</b> Void Void Void Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Not determined. <b>s</b> Void Void Void Void Void Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Not determined. <b>'S</b> Void Void Void Void Void Void Void Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Not determined. <b>'S</b> Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Not determined. <b>'S</b> Void Void Void Void Void Void Void Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable	Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Not determined. S Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	Not determined. S Void
Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides	Not determined. S Void
Solids content: Change in condition Evaporation rate Information with regard to physical hazard classe Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Self-heating substances and mixtures Substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids Organic peroxides Corrosive to metals Desensitised explosives	Not determined. S Void

(Contd. on page 5)

GB

Printing date 04.05.2022

Version: 7 (replaces version 6)

Revision: 04.05.2022

#### Trade name: Sebond Dentin Bond Opaker

(Contd. of page 4)

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions <code>Exothermic</code> polymerization

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials:

In presence of radical formers (e. g. peroxides), deoxidizing substances, and/or heavy metal ions, polymerization with heat release is possible.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if inhaled.

LD/LC50 values relevant for classification:

tetramethylene dimethacrylate LD-50 oral > 5000 mg/kg (rat)

· Respiratory or skin sensitisation May cause an allergic skin reaction.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water. Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)

Printing date 04.05.2022

Version: 7 (replaces version 6)

Revision: 04.05.2022

(Contd. of page 5)

### Trade name: Sebond Dentin Bond Opaker

· Uncleaned packaging:

· Recommendation:

\*

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

• Recommended cleansing agents: Alcohol

14.1 UN number or ID number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (di-urethand dimethacrylate, 2-[[(butylamino)carbonyl]oxy]ethy acrylate)
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (di-urethane dimethacrylate, 2 [[(butylamino)carbonyl]oxy]ethyl acrylate), MARINI POLLUTANT
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (di-urethane dimethacrylate, 2 [[(butylamino)carbonyl]oxy]ethyl acrylate)
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances and articles
Label	9
Class	9 Miscellaneous dangerous substances and articles.
Label	9
14.4 Packing group ADR, IMDG, IATA	III
14.5 Environmental hazards: Marine pollutant:	No Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an articles.
Hazard identification number (Kemler code): EMS Number: Stowage Category	90 F-A,S-F A
14.7 Maritime transport in bulk according to IM instruments	<i>IO</i> Not applicable.
	(Contd. on page

Printing date 04.05.2022

Version: 7 (replaces version 6)

Revision: 04.05.2022

Trade name: Sebond Dentin Bond Opaker

	(Contd. of page 6
• Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
• Tunnel restriction code	(-)
· IMDG	
· Limited quantities (LQ)	5L
$\cdot$ Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
2	SUBSTANCE, LIQUID, N.O.S. (DI-URETHAN)
	DIMETHACRYLATE, 2-[[(BUTYLAMINO)CARBONYL
	OXY]ETHYL ACRYLATE), 9, III

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category E2 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· National regulations

• Technical instructions (air):

Class	Share in %
III	2.5-10

· Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H317 May cause an allergic skin reaction.
- H332 Harmful if inhaled.
- H351 Suspected of causing cancer.
- H361f Suspected of damaging fertility.
- H411 Toxic to aquatic life with long lasting effects.
- · Department issuing SDS: Schütz Dental GmbH
- · Contact: Advisory service dep.
- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

GB ·

GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 04.05.2022

Version: 7 (replaces version 6)

Revision: 04.05.2022

#### Trade name: Sebond Dentin Bond Opaker

	(Contd. of page 7)
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
Acute Tox. 4: Acute toxicity – Category 4	
Skin Sens. 1: Skin sensitisation – Category 1	
Skin Sens. 1A: Skin sensitisation – Category 1A	
Skin Sens. 1B: Skin sensitisation – Category 1B	
Carc. 2: Carcinogenicity – Category 2	
Repr. 2: Reproductive toxicity – Category 2	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2	
• * Data compared to the previous version altered.	